



The most advanced PVC-U window system on the market

Epwin Window Systems is the UK's leading manufacturer of PVC-U window systems and home to Profile 22, the fully integrated, award-winning PVC-U window and door system designed to deliver the best of everything. Welcome to more options and more possibilities with the Profile 22 Sculptured System from Epwin Window Systems.



An award-winning system

Profile 22 is an award-winning system that represents the best the industry has to offer. The sculptured system within Profile 22 offers impressive design flexibility with a gently curved frame shape that's at home in every type of property. As the independent judging panel said: "This suite of profiles seems to provide an answer to most window needs." When you work with Profile 22, you'll see what they mean.



Designed to offer the best of everything

Profile 22 was designed from the ground up to be an efficient to fabricate and easy to fit system that looks better and performs better than any other system on the market. It has intelligently designed features throughout the system which offers a whole new level of technical innovation. It's why Profile 22 gives you a clear competitive edge.



Delivering what the market needs

Whether you work in the domestic replacement, new build, refurbishment, commercial or public sectors, the Profile 22 Sculptured System has the features and technical innovation these markets demand. Outstanding aesthetics and design flexibility. Exceptional security. Impressive thermal efficiency. When you want to deliver above and beyond, Profile 22 is the answer. In short, it is the best PVC-U system available today.



Driving your business forward

Alongside Profile 22 itself, you also get the support of Epwin Window Systems, the powerhouse in PVC-U systems. From technical expertise and marketing know-how to commercial opportunities and more, we bring support that adds value to your business at every level and across all sectors. It's just one more reason why Profile 22 is the system your business needs.





The difference is **Profile 22**

Profile 22 is a fully integrated, 70mm Sculptured system which offers superior all-round performance. It's suitable for a wide range of projects and for many applications, including casement, tilt & turn, French casement windows, and both residential and French doors.



Better insulated

The 6-chambered outerframe and 5-chambered sash plus bigger glass area means Profile 22 offers excellent thermal performance. It can achieve U-values as low as 0.8 W/m²K and A++ Window Energy Ratings (WER).



Superb weather protection

The revolutionary centre seals to the outerframe and sash plus the 10mm sash cover deliver enhanced insulation and weather protection. Superb performance, no matter how demanding the conditions.



Widest choice of ancillaries

Profile 22 has the widest range of ancillaries on the market, including cills, baypoles, accessories and packers. All the design flexibility you need so you can deliver perfect projects every time.



Widest choice of glazing options

Profile 22 offers a comprehensive range of double and triple glazed options. It's cost-effective too – our triple glazing achieves U-values below 1 without the use of krypton gas. More ways to offer affordable and energy-efficient windows.





Better drainage

Profile 22 incorporates deeper drainage channels that carry water away quickly and improve weather performance. A system that offers superb long-term durability – and means fewer service call-outs and reduced ongoing costs.



Superior security and strength

Profile 22 has features such as a central Eurogroove that gives the sashes greater rigidity and strategic local wall thickening for 35% better screw and hardware retention. Intelligent features that maximise security and strength.



Built to last

Profile 22 has been designed to be simple to fabricate and install, and surpasses Building Regulations and PAS 24:2022. It is highly accredited and has Secured by Design approval. A superior-quality system, built for life.



Profile 22 Casement Window System

The classic window design with all the options you need.

The Profile 22 Casement Window is suitable for almost any size of aperture or design layout, including bay and bow windows. It is an internally glazed system that can be specified with single top or side hung openers and multi-lights.












Product **features**

- 1 Sculptured edge design
- 2 24, 28, 36, 40 & 44mm glazing options
- 3 5-chamber sash (with optional RCM inserts available)
- 4 Outer frame / sash centre seals
- 5 10mm cover on weather seals
- 6 6-chamber outer frame (with optional RCM inserts)

Every element of the Profile 22 Casement Window has been carefully considered. Whether it's outstanding aesthetics, exceptional security or impressive thermal efficiency, Profile 22 more than delivers – and all in a system designed to be easy to fabricate and simple to install.



Profile 22 French Casement Window System

Ideal for dormers, cottage and smaller window apertures.

The Profile 22 French Casement Window, with its symmetrical opening panes, offers good ventilation, unrestricted views and the possibility of an emergency-escape route. Offering an impressive glass-to-frame ratio due to the slim, unobtrusive profiles, the Profile 22 French Casement Window delivers the best ratings for passive solar gain.














Profile 22 Tilt & Turn Window System

A stylish, practical window for high, exposed or difficult access locations.

The Profile 22 Tilt & Turn Window offers superior sightlines and a higher glass-to-frame ratio, which makes it an excellent choice for commercial projects. The reassurance of secure all-round locking delivers a reliable and strong window with superb overall aesthetics due to its elegant and streamlined frame aesthetics.











Product **features**

- 1 Sculptured edge design
- 2 24, 28, 36, 40 & 44mm glazing options
- 3 Concealed hardware
- 4 Optional sash & outer frame centre seals
- 5 5-chamber sash
- 6 5-chamber outer frame with optional RCM inserts available


As with all Profile 22 products, a wealth of options from colour to thermal efficiency to security, gives you the scope you need.



Profile 22 Residential and FrenchDoor System

Profile 22 Residential and French Doors offer a perfect match with Profile 22 windows.

Both products have been meticulously designed to offer a wealth of aesthetic and practical options including high-quality functionality, durability, performance, finish and security so you can tailor every project to the most precise of specifications.













Ancillaries

The widest choice of ancillaries on the market.

No project is ever the same, not all buildings are standard and every customer has individual requirements.

The Profile 22 range of ancillaries includes bay assemblies, coupling sections, frame packers, ancillaries and finishers. All can be perfectly colour-matched and offer the same high-quality durability as our main system components for a perfect seamless finish.

It means you can create perfectly fitting, perfectly designed projects every time and more than deliver on customer expectations.

Cills

Complete with end caps and couplers, our cill sizes range from a modest 85mm to a substantial 225mm. There's a single reinforcing size to help keep your stockholding under control and steel and recycled composite material (RCM).




Thermal Inserts

Thermal inserts are an effective way to achieve better U-values and WERs without the cost of the most highly-insulating sealed units. Simple to use and cut, they slot inside the profiles during fabrication, increasing the number of insulating chambers. What's more, they're made from recycled materials, enhancing your green credentials.



Baypoles

A range of baypoles enables the installation of strong and robust bay and bow windows. With variable, square and fixed angle variants, all shapes and sizes of immaculately-finished installation are possible.





Packers

Packers are available in four sizes ranging from 15mm to 50mm.

Astragal Bars

A choice of sculptured and chamfered glazing bars is available in all Profile 22 colours and finishes.

Casement Horns

Run-through casement horns and cover caps are available in all Profile 22 stock colours and finishes.



The Colour Collection


Our Colour Collection brings a wealth of design flexibility to every project.


It features an array of shades from modern classics such as Anthracite Grey and heritage hues such as Chartwell Green to the palettes of the future such as Claystone. Dual colour options are also available, bringing the option of different interior and exterior colours. Profiles are wrapped in our state-of-the-art colour production facility to ensure the quality of finish remains pristine.


Base appeal

To maximise your product offer further, we also offer complementary base colours on our foiled ranges to deliver higher-value aesthetics. These include white, grey, brown, tan and cream and are designed to perfectly complement our foils and deliver the next level in coloured profile aesthetics.

Stock Colours







Base Colours











Base



Made to Order Colours

Our made to order colours are available foiled on one side with a white base, foiled on both sides on a complementary base colour or foiled with different colours either side with a choice of any base colour.

Cream Base	Tan Base	Brown Base	White Base	Grey Base	
Cream	Irish Oak	AnTeak	White Woodgrain	Black Ulti-Matt	Slate Grey
Claystone	Honey Oak Super-Matt	Swamp Oak	Dark Red	Silver D Smooth	Anthracite Grey
Pebble Grey	Light Oak Pyrite	Rosewood	Steel Blue	Hazy Grey Finesse	Anthracite Grey Smooth
Windsor	Pyrite	Black Brown	Dark Green	Kensington Grey	
Sage Smooth		Flemish Gold Smooth		Buckingham Grey	
Agate Grey				Basalt Grey Smooth	
Chartwell Green				Slate Grey Finesse	



Our hardware brand, Safeware, is one of the UK's leading suppliers to the industry, offering a complete range, including trusted household names like Yale.

























We know that quality hardware more than delivers return on investment in reduced call backs, maintenance and performance.

And when you order your hardware from us you can be confident that all products are compatible with Epwin Window Systems, putting an end to checking specifications or calling suppliers with queries.

You can order profiles and hardware on the same order and the same delivery. It streamlines admin, accounting and goods inwards processes and saves time.

Finally, high stock levels and rapid delivery from our Telford warehouse mean there's no need to worry about product availability or delays to schedules.





Profile 22 gives you peace of mind

As the UK's leading systems brand, Epwin Window Systems holds all the accreditations you need to meet your requirements.



BS EN ISO 9001

BSI Registered firm scheme: Quality Management Systems.



BS EN ISO 14001

Manufactured under an ISO 14001 Registered Environmental Management System.



BS ISO 45001

Occupational Health and Safety Management Systems.



BS EN 12608



PVC-U Profiles for the Fabrication of Windows and Doors.



BS EN 12608/PAS 24

Enhanced Security Window System Supplier.



BS EN 12608/PAS 24

Enhanced Security Door System Supplier.



BS 8529/PAS 24

Enhanced Security Composite Door System Supplier.



VinylPlus

A labelling scheme to identify the most sustainable and high-performance PVC-U products.



Secured by Design

The UK Police initiative supporting the principles of 'designing out crime' by use of crime prevention and security standards.





Tested to the

highest standards

Every aspect of the Epwin Window Systems range is

continually tested and assessed

to ensure it offers excellence

in every respect. All Profile 22 products meet current Building Regulations as standard and

many can provide solutions

far above these requirements.

It means that no matter how

demanding your project, Profile 22 delivers.

Security benefits

Security on Profile 22 is second to none, thanks to innovative features and intelligent design.

Profile 22 can accommodate the very latest in high-security hardware, advanced multipoint locks, keeps and key-locking handles. The system also includes strategically placed local wall thickening, which gives 35% better screw and hardware retention. There is a central Eurogroove built in as standard to ensure the sashes have greater strength and rigidity and are less susceptible to manual attack.

The features mean that Profile 22 can easily deliver Secured by Design specifications when required.








Profile 22 meets and exceeds all requirements for thermal efficiency as standard. Intelligent options mean it is also capable of delivering to the highest of specifications.

There are features such as six thermal chambers in the outerframe (eight with RCM thermal inserts) and five in the sash (six with RCM thermal inserts). Optional centre seals to the outerframe and sash deliver even more insulation. Double and triple glazing offer further options.

It all means that no matter how demanding the thermal efficiency specification, Profile 22 can deliver.






Profile 22 Sculptured System Product Data	Casement Window		French Casement Window	Tilt & Turn Window		
PERFORMANCE & ACCREDITATION	Top Hung	Side Hung				
U-value (double glazing)	1.2 W/m²K		1.2 W/m ² K	1.2 W/m ² K		
U-value (triple glazing)	0.8 W/m ² K		0.9 W/m ² K	0.8 W/m ² K		
Energy Rating (WER)	A-	++	A+	A++		
Acoustic Performance-various options depending on specification-RW (C;Ctr)	36 to 44		36 to 44	36 to 44		
Air Tightness (Pa)	Class 3 (600Pa)	Class 4 (600Pa)	Class 2 (300Pa)	Class 4 (600Pa)		
Water Tightness (Pa)	Class 9A (600Pa)	Class E1500 (1500Pa)	Class 7A (300Pa)	Class E750 (E750Pa)		
Wind Loading (Pa)	Class BE2400 (2400Pa)	Class CE2400 (2400Pa)	Class B4 (1600Pa)	Class CE2400 (2400Pa)		
Security	PAS	3 24	PAS 24	PAS 24		
PAS 24 Size Limits (mm)	1240 x 1240	740 x 1340	740 x 1277	1436 x 1535		
Secured by Design (SBD)	Ø		Ø	•		
CONFIGURATIONS						
Top Hung Outward	•					
Side Hung Outward	Ø		Ø			
Fixed Light	•		Ø	Ø		
Multilight			•	•		
Tilt & Turn	Tilt & Turn					
SASH WEIGHT & SIZE LIMITS						
Maximum Sash Weight*	50 kg	40 kg	40 kg	130 kg		
Maximum Sash Size (mm)	1240 x 1240	740 x 1340	740 x 1340	1426 x 1540		
SYSTEM FEATURES						
System Depth (mm)	70		70	70		
Multipoint Locking	Ø		Ø	Ø		
Glazing Options	Internally & Externally Beaded		Internally & Externally	Internally Beaded		
			Beaded	beaded		

	Residential Door	French	
PERFORMANCE & ACCREDITATION			
U-value (double glazing)	1.2 W/m²K	1.2 W/m²K	
U-value (triple glazing)	0.8 W/m ² K	0.8 W/m²K	
Energy Rating (DSER)	A++	A+	
Acoustic Performance-various options depending on specification-RW (C;Ctr)	36 to 44	36 to 44	
Air Tightness (Pa)	Class 2 (300Pa)	Class 2 300Pa)	
Water Tightness (Pa)	Class 3A (100Pa)	Class 3A (100Pa)	
Wind Loading (Pa)	Class A3 (1200Pa)	Class A3 (1200Pa)	
Security	PAS 24	PAS 24	
PAS 24 Size Limits (mm)	1000 x 2151	1000 x 2151	
Secured by Design (SBD)	Ø	Ø	
CONFIGURATIONS			
Single Door	Ø		
Double Door		Ø	
Fixed Light	Ø	Ø	
SASH WEIGHT & SIZE LIMITS			
Maximum Sash Weight*	120 kg	120 kg	
Maximum Sash Size (mm)	1000 x 2151	1000 x 2151	
SYSTEM FEATURES			
System Depth (mm)	70	70	
Multipoint Locking	Ø	Ø	
Glazing Options	Internally Beaded	Internally Beaded	
Glazing Thickness (mm)	24/28/36/40/44	24/28/36/40/44	

^{*} Hardware dependent

For more information about Epwin Window Systems products visit www.epwinwindowsystems.co.uk





Epwin Window Systems is a manufacturer of PVC-U and aluminium profile systems, supplied to independent manufacturers and installers who contract to install windows, doors and conservatories. Epwin Window Systems cannot be held accountable for manufacture or installation by independent companies. All information in this publication is provided for guidance only and is given in good faith. As it is company policy to continually improve products, methods and materials, changes of specification may be made from time to time without prior notice. This statement does not affect your statutory rights. © Epwin Window Systems. Part of the Epwin Group Plc. EWS18520